



SPECIFICATION CLAUSE

CAVITYTHERM BUILT IN FULL FILL WALL INSULATION

Hockey Stick Insulation

CT/ACC/HS

The Hockey Stick insulation shall be CavityTherm CT/PIR Hockey Stick __ __ mm thick, manufactured to EN 13165:2012+A2:2016 by Unilin Insulation, comprising of a rigid Polyisocyanurate (PIR) core between composite foil facings, with a Agrément declared Lambda value of 0.022 W/mK, creating a preformed panel for insulated Service Void for cables in __ __ mm cavity. To be installed in accordance with instructions issued by Unilin Insulation.

Refer to NBS clause F30 150. Uniclass Pr 25 71 63 66.

Insulation

Polyisocyanurate Rigid Foam

Standard

BS EN 13165:2012+A2:2016

Certification

- BS EN ISO 9001 Quality Management System
 - BS EN ISO 14001 Environmental Management System
 - ISO OHSMS 45001 Health and Safety Management System
-

Manufacturer

Unilin Insulation UK Ltd

Park Road, Holmewood, Chesterfield, Derbyshire, UK, S42 5UY

T 0371 222 1033

F 0371 222 1044

E info.ui@unilin.com

unilininsulation.co.uk

Unilin Insulation Ireland Ltd

Liscarton Industrial Estate, Kells Road, Navan, Co. Meath, Ireland, C15 NP79

T 04690 66000

F 04690 66090

E info.ui@unilin.com

unilininsulation.ie

Product Reference

Unilin Insulation CavityTherm CT/ACC/HS
Hockey Stick Insulation

Edge Profile

Square Edge