



# SPECIFICATION CLAUSE

## CAVITYTHERM BUILT IN FULL FILL WALL INSULATION

### Full Fill Cavity Wall Riser Panel

CT/RP

The insulation shall be CavityTherm CT/RP Full Fill Cavity-Wall Riser Panel manufactured to EN 13165:2012+A2:2016 by Unilin Insulation, including corner boards and ancillary detail components, comprising of a rigid Polyisocyanurate (PIR) core between composite foil facings with engineered HIPS outer skin. The Unilin Insulation CT/RP\_ \_ \_mm with a Agrément declared Lambda value of 0.021 W/mK to achieve a U-Value of \_ \_ \_W/m²K for the wall element. To be installed in accordance with instructions issued by Unilin Insulation.

Refer to NBS clause F30 150, F30 12. Uniclass Pr 25 71 63 66.

#### Insulation

Polyisocyanurate Rigid Foam

#### Standard

BS EN 13165:2012+A2:2016

#### Certification

- BBA Certification No. 23/7059
- BS EN ISO 9001 Quality Management System
- BS EN ISO 14001 Environmental Management System
- ISO OHSMS 45001 Health and Safety Management System

#### Manufacturer

##### Unilin Insulation UK Ltd

Park Road, Holmewood, Chesterfield, Derbyshire, UK, S42 5UY

T 0371 222 1033  
F 0371 222 1044  
E info.ui@unilin.com

unilininsulation.co.uk

##### Unilin Insulation Ireland Ltd

Liscarton Industrial Estate, Kells Road, Navan, Co. Meath, Ireland, C15 NP79

T 04690 66000  
F 04690 66090  
E info.ui@unilin.com

unilininsulation.ie

#### Product Reference

Unilin Insulation Thin-R CT/RP Full Fill Cavity Wall Riser Panel Insulation

#### Face Size

1200mm x 225mm

#### Edge Profile

Rebated on all four edges

#### Thickness

100mm / 110mm / 125mm / 150mm